

	L #	Hits	Search Text	DBs	Time Stamp
6	L6	1	(messag\$3 email mail) with random\$2 with parameters with agent	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/09/17 13:38
7	L7	189	(messag\$3 email mail) with random\$2 with parameters	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/09/17 13:48
8	L8	51	7 not ("1997" "1998" "1999" "2000" "2001" "2002" "2003").ay.	USPAT	2003/09/17 13:49
9	L9	30	(messag\$3 email mail) with random\$2 with parameters with (agent applet program application script code)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/09/17 13:59
10	L10	11	9 not ("1997" "1998" "1999" "2000" "2001" "2002" "2003").ay.	USPAT	2003/09/17 14:00
11	L11	23	(messag\$3 email mail).ab. and (agent applet program application script code) with random\$2 near5 parameters	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/09/17 14:00
12	L12	8	11 not ("1997" "1998" "1999" "2000" "2001" "2002" "2003").ay.	USPAT	2003/09/17 14:00

	Hits	Search Text
1	12054	access adj point
2	3420	access adj point.ab.
3	277	(access adj point same manag\$6).ab.
4	18	(internet web www wan html http) same database and ((access adj point same manag\$6).ab.)
5	0	managed adj opening and database and ((access adj point same manag\$6).ab.)
6	0	managed adj opening and ((access adj point same manag\$6).ab.)
7	8	modif\$4 with operat\$3 and ((access adj point same manag\$6).ab.)

	L #	Hits	Search Text	DBs
1	L1	2120	(web internet html http www) adj server and database adj server and (application file email mail messag\$3) adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L3	10	1 and 2 and modif\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L2	25	(link session connection bus buffer queu\$3) near configur\$6 with (application file email mail messag\$3) adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	227	(web internet html http www) adj server and database adj server and (application file email mail messag\$3) adj server with configur\$6 and modif\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	47	(web internet html http www) adj server and database adj server and (application file email mail messag\$3) adj server with configur\$6 and modif\$4 with operat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	11	5 not ("2001" "2002" "2003").ay.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text
9	47	((web adj server and database adj server and application adj server) and modif\$4 near3 (operat\$3 process\$3 access\$3)) and respon\$4 with (command instruction script cod\$3 applet program)) and ((link connection) with (command proxy\$3 modif\$4 redirect\$3))
10	28	(web adj server and database adj server and application adj server) and modif\$4 near3 (operat\$3 serive function perfom\$4)
11	28	((web adj server and database adj server and application adj server) and modif\$4 near3 (operat\$3 serive function perfom\$4)) and (form\$3 formulat\$3)
12	3	((web adj server and database adj server and application adj server) and modif\$4 near3 (operat\$3 serive function perfom\$4)) and (form\$3 formulat\$3) near10 (command instruction)

618576

	L #	Hits	Search Text	DBs
1	L2	893	server same (application email mail) adj3 server same (modif\$4 edit\$3 chang\$3 configur\$6 reconfigur\$6) adj3 (operat\$3 servic\$3 process\$3 method perform\$3 mode format\$4 reformat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L3	2764	browser and server and (application email mail) adj3 server and (modif\$4 edit\$3 chang\$3 customiz\$5) adj3 (operat\$3 servic\$3 process\$3 method perform\$3 mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L4	244	2 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L5	116	2 and 3 and (gateway router firewall) and (nic controller modem transceiver (network ethernet lan) adj (card adapter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L6	0	5 and cmo and locking	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L7	26	5 and locking	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L8	226	server same (application email mail) adj3 server same database same (modif\$4 edit\$3 chang\$3 configur\$6 reconfigur\$6) adj3 (operat\$3 servic\$3 process\$3 method perform\$3 mode format\$4 reformat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L9	27	8 and locking	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
9	L10	533	(application email mail) adj3 server same (modif\$4 edit\$3 chang\$3 configur\$6 reconfigur\$6) adj3 (operat\$3 servic\$3 mode format\$4 reformat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L11	205	(application email mail) adj3 server with (modif\$4 edit\$3 chang\$3 configur\$6 reconfigur\$6) adj3 (operat\$3 servic\$3 mode format\$4 reformat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L12	74	11 and (gateway router firewall) and (nic controller modem transceiver (network ethernet lan) adj (card adapter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L13	9	12 and locking	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	L14	74	12 and form\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L15	9	12 and form\$7 with respon\$4 with request\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text
1	L9	642	modif\$4 adj3 operat\$3.ab.
2	L10	294	web adj server same database same (email mail messag\$3 file application) adj server
3	L11	0	9 and 10
4	L12	5131	(alter\$6 chang\$3 edit\$ audit\$4 modif\$4 redirect\$3) adj3 operat\$3.ab.
5	L13	0	12 and 10
6	L14	836	(html http internet www web) adj server same (email mail messag\$3 file application) adj server and (database dbms)
7	L15	294	14 and 10
8	L16	386	(html http internet www web) adj server same (email mail messag\$3 file application) adj server same (database dbms)
9	L17	294	16 and 10
10	L18	0	9 and 17
11	L19	0	12 and 17
12	L20	55	request\$3 with (formulat\$3 rule calculat\$3) and 17
13	L21	51	20 and browser
14	L22	12139	(link bus buffer queue port) near configur\$6
15	L23	4	21 and 22
16	L24	0	14 and 9
17	L25	0	(html http internet www web) adj server same (email mail messag\$3 file application) adj server and 9
18	L26	16	9 and 22

	L #	Hits	Search Text
1	L1	47	(html browser) same select\$4 same lock\$3
2	L2	11	(html browser) same select\$4 same lock\$3 same manag\$4
3	L3	3	2 and modif\$4 with (operat\$3 perform\$4 servic\$3 manag\$4)
4	L4	0	(control\$4 manag\$4) near2 lock\$3 and (web internet http html) adj3 server same browser same database adj3 server and application adj3 server
5	L5	50	(control\$4 manag\$4) near2 lock\$3 and (web internet http html) adj3 server and browser and database adj3 server and application adj3 server
6	L6	50	(control\$4 manag\$4) near2 lock\$4 and (web internet http html) adj3 server and browser and database adj3 server and application adj3 server
7	L7	44	6 and modif\$4 with (operat\$3 perform\$4 servic\$3 manag\$4)
8	L8	41	6 and modif\$4 near3 (operat\$3 perform\$4 servic\$3 manag\$4)
9	L9	39	8 and access near3 point
10	L10	12	9 and select\$6 near3 (control\$4 manag\$4)
11	L12	0	5 and 11
12	L11	22	access near3 point same modif\$4 near3 (operat\$3 perform\$4 servic\$3 manag\$4)
13	L13	2	11 and (web internet http html) adj3 server and browser and database adj3 server and application adj3 server
14	L14	365	(control\$4 manag\$4) near2 lock\$4 and access near3 point
15	L15	41	14 and (web internet http html) adj3 server and browser and database and application
16	L16	39	15 and modif\$4 near3 (operat\$3 perform\$4 servic\$3 manag\$4)

6.12.044



	L #	Hits	Search Text
1	L3	67	access adj3 point with lock\$6
2	L4	5	access adj3 point with lock\$6 and (web internet html http email) adj3 server
3	L1	14	browser same (modif\$4 edit\$3 customiz\$3 alter\$7 chang\$7) same access adj2 point
4	L5	6	(mail email messag\$3) adj3 server same lock\$3.ab.
5	L6	8	access adj3 point with lock\$6 and (isp provider (web internet html http email mail messag\$3) adj3 server)
6	L9	29	access adj3 point and lock\$6 with (select\$6 controll\$6 manag\$5) and browser
7	L10	1	(internet web www html http email) with access adj3 point same lock\$4
8	L11	10	(internet web www html http email) adj3 server and access adj3 point same lock\$4
9	L12	224	access adj3 point same lock\$4
10	L13	21	access adj3 point same lock\$4.ab.
11	L14	24544	709/2\$\$
12	L15	17	12 and 14

	L #	Hits	Search Text
1	L3	67	access adj3 point with lock\$6
2	L4	5	access adj3 point with lock\$6 and (web internet html http email) adj3 server
3	L1	14	browser same (modif\$4 edit\$3 customiz\$3 alter\$7 chang\$7) same access adj2 point
4	L5	6	(mail email messag\$3) adj3 server same lock\$3.ab.
5	L6	8	access adj3 point with lock\$6 and (isp provider (web internet html http email mail messag\$3) adj3 server)
6	L9	29	access adj3 point and lock\$6 with (select\$6 controll\$6 manag\$5) and browser

	L #	Hits	Search Text
1	L7	224	(web internet html http) with lock\$4 with select\$6
2	L8	12	(web internet html http) with lock\$4 with select\$6.ab.
3	L9	24544	709/2\$\$
4	L10	6	7 and 9